

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|------------------|
| 3 | 6 | ("5287261" "6198302" "5889395").pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/06/06 14:50 |
| - | 1 | 10/053973 | USPAT; US-PGPUB | 2003/07/06 16:15 |
| - | 1 | assembly same validat\$3 same (microelectronic with power with regulation with system) | USPAT; US-PGPUB | 2003/06/09 11:27 |
| - | 1 | assembly same validat\$3 same (power with regulation with system) | USPAT; US-PGPUB | 2003/06/09 11:27 |
| - | 2 | assembly same validat\$3 same (power with regulator) | USPAT; US-PGPUB | 2003/06/09 11:32 |
| - | 1 | (assembly same validat\$3 same (power with regulator)) and capacitor and substrate | USPAT; US-PGPUB | 2003/06/09 11:29 |
| - | 1 | assembly and (microelectronic with power with regulat\$4) and substrate and transient and amplitude and capacitor | USPAT; US-PGPUB | 2003/06/09 11:35 |
| - | 1 | assembly and (microelectronic with power with regulat\$4) and substrate and transient and capacitor | USPAT; US-PGPUB | 2003/06/09 11:35 |
| - | 136 | assembly and (power with regulat\$4) and substrate and transient and amplitude and capacitor | USPAT; US-PGPUB | 2003/06/09 11:38 |
| - | 4 | (assembly and (power with regulat\$4) and substrate and transient and amplitude and capacitor) and (spatial with control with power) | USPAT; US-PGPUB | 2003/06/09 11:36 |
| - | 1 | assembly and (power adj regulat\$4) and substrate and (transient adj generator) and amplitude and capacitor | USPAT; US-PGPUB | 2003/06/09 11:39 |
| - | 1 | assembly and (power with regulat\$4) and substrate and (transient adj generator) and amplitude and capacitor | USPAT; US-PGPUB | 2003/06/09 11:41 |
| - | 14 | assembly and (power with regulat\$4) and substrate and (transient adj event) and amplitude and capacitor | USPAT; US-PGPUB | 2003/06/09 11:44 |
| - | 1 | assembly and (power adj regulator) and substrate and (transient adj generator) and capacitor | USPAT; US-PGPUB | 2003/06/09 11:57 |
| - | 1 | assembly and (power adj regulator) and substrate and (transient adj generator) | USPAT; US-PGPUB | 2003/06/09 11:43 |
| - | 1 | (power adj regulator) and substrate and (transient adj generator) | USPAT; US-PGPUB | 2003/06/09 11:43 |
| - | 4 | assembly and (power with regulator) and substrate and (transient adj event) and amplitude and capacitor | USPAT; US-PGPUB | 2003/06/09 11:50 |
| - | 1 | (assembly and (microelectronic with power with regulat\$4) and substrate) and transient | USPAT; US-PGPUB | 2003/06/09 11:47 |
| - | 7 | assembly and (microelectronic with power with regulat\$4) and substrate | USPAT; US-PGPUB | 2003/06/09 12:06 |
| - | 4 | (assembly and (power with regulator) and substrate and (transient adj event) and amplitude and capacitor) and (microprocessor or computer or CPU or microcomputer) | USPAT; US-PGPUB | 2003/06/09 11:51 |
| - | 1 | assembly and (power adj regulator) and substrate and (transient adj generator) | USPAT; US-PGPUB | 2003/06/09 11:58 |
| - | 1 | substrate same (transient adj generator) | USPAT; US-PGPUB | 2003/06/09 11:58 |
| - | 31 | substrate same (transient with generator) | USPAT; US-PGPUB | 2003/06/09 12:00 |
| - | 1 | (substrate same (transient with generator)) and (power with regulation with system) | USPAT; US-PGPUB | 2003/06/09 12:00 |
| - | 33 | (power with regulation with system) and (transient with generator) | USPAT; US-PGPUB | 2003/06/09 12:00 |
| - | 1 | ((power with regulation with system) and (transient with generator)) and substrate | USPAT; US-PGPUB | 2003/06/09 12:02 |
| - | 21 | ((power with regulation with system) and (transient with generator)) and capacitor | USPAT; US-PGPUB | 2003/06/09 12:03 |
| - | 5 | ((power with regulation with system) and (transient with generator)) and capacitor) and assembly | USPAT; US-PGPUB | 2003/06/09 12:07 |

| | | | | |
|---|-------|--|--------------------|------------------|
| - | 1 | (((((power with regulation with system) and (transient with generator)) and capacitor) and assembly) and surface | USPAT; US-PGPUB | 2003/06/09 12:07 |
| - | 4 | ("5394025" "5886515" "5942886" "4042830").pn. | USPAT; US-PGPUB | 2003/07/06 16:17 |
| - | 0 | ((("5394025" "5886515" "5942886" "4042830").pn.) and | USPAT; US-PGPUB | 2003/07/06 16:32 |
| - | 53 | (testing with power with regulator) | USPAT; US-PGPUB | 2003/07/06 16:18 |
| - | 1 | ((testing with power with regulator)) and (voltage with source) and (control with circuit) and transistor and (drain with region) | USPAT; US-PGPUB | 2003/07/06 16:35 |
| - | 15 | ((testing with power with regulator)) and (voltage with source) and (control with circuit) and transistor | USPAT; US-PGPUB | 2003/07/06 16:22 |
| - | 1 | ((testing with power with regulator)) and (voltage with source) and transistor and (drain with region) | USPAT; US-PGPUB | 2003/07/06 16:37 |
| - | 1 | ((testing with power with regulator)) and (voltage with source) and (control with circuit) and transistor) and microelectronic | USPAT; US-PGPUB | 2003/07/06 16:24 |
| - | 2 | ((testing with power with regulator)) and (voltage with source) and (control with circuit) and transistor) and (gate with region) | USPAT; US-PGPUB | 2003/07/06 16:25 |
| - | 2 | ((testing with power with regulator)) and (voltage with source) and (control with circuit) and transistor) and (gate with region)) and (current with source) | USPAT; US-PGPUB | 2003/07/06 16:24 |
| - | 3 | ((testing with power with regulator)) and (voltage with source) and (control with circuit) and transistor) and (trigger with signal with input) | USPAT; US-PGPUB | 2003/07/06 16:26 |
| - | 2 | ((("5394025" "5886515" "5942886" "4042830").pn.) and (testing with power) | USPAT; US-PGPUB | 2003/07/06 16:30 |
| - | 0 | ((("5394025" "5886515" "5942886" "4042830").pn.) and (testing with microelectronic with power) | USPAT; US-PGPUB | 2003/07/06 17:30 |
| - | 8 | (testing with microelectronic with power) | USPAT; US-PGPUB | 2003/07/06 16:33 |
| - | 1 | ((testing with microelectronic with power)) and (voltage with source) and (control with circuit) and transistor and (drain with region) | USPAT; US-PGPUB | 2003/07/06 17:17 |
| - | 1 | ((testing with microelectronic with power)) and (voltage with source) and (control with circuit) and transistor and (current with source) | USPAT; US-PGPUB | 2003/07/06 16:36 |
| - | 1 | ((testing with microelectronic with power)) and (voltage with source) and (control with circuit) and (current with source) | USPAT; US-PGPUB | 2003/07/06 17:32 |
| - | 5 | ((testing with microelectronic with power)) and (voltage with source) and (control with circuit) | USPAT; US-PGPUB | 2003/07/06 17:06 |
| - | 1 | ((testing with microelectronic with power)) and (voltage with source) and (control with circuit)) and transistor and (drain with region) | USPAT; US-PGPUB | 2003/07/06 16:42 |
| - | 5 | ((testing with microelectronic with power)) and (voltage with source) and (control with circuit)) and transistor | USPAT; US-PGPUB | 2003/07/06 16:40 |
| - | 1 | ((testing with microelectronic with power)) and transistor and (drain with region) | USPAT; US-PGPUB | 2003/07/06 17:17 |
| - | 1 | ((testing with power with regulator)) and transistor and (drain with region) | USPAT; US-PGPUB | 2003/07/06 16:42 |
| - | 26821 | transistor with (drain with region) | USPAT; US-PGPUB | 2003/07/06 16:45 |
| - | 1 | (transistor with (drain with region)) and ((testing with power with regulator)) | USPAT; US-PGPUB | 2003/07/06 16:44 |
| - | 1 | (transistor with (drain with region)) and (transient with load with generator) | USPAT; US-PGPUB | 2003/07/06 16:45 |
| - | 4400 | (voltage with source) with transistor with (drain with region) | USPAT; US-PGPUB | 2003/07/06 16:47 |

| | | | | |
|---|------|---|--------------------|------------------|
| - | 1579 | ((voltage with source) with transistor with (drain with region)) and (voltage with source) and (control with circuit) | USPAT; US-PGPUB | 2003/07/06 16:49 |
| - | 2 | (((voltage with source) with transistor with (drain with region)) and (voltage with source) and (control with circuit)) and trnsistor and (gate with region) | USPAT; US-PGPUB | 2003/07/06 16:49 |
| - | 0 | (((("5394025" "5886515" "5942886" "4042830").pn.) and (testing with power)) and (voltage with source) and (control with circuit) and transistor) and (drain with region) | USPAT; US-PGPUB | 2003/07/06 17:17 |
| - | 2 | (((("5394025" "5886515" "5942886" "4042830").pn.) and (testing with power)) and (voltage with source) and (control with circuit) and transistor | USPAT; US-PGPUB | 2003/07/06 17:18 |
| - | 512 | (testing with (microprocessor or CPU or computer or microcomputer) with power) | USPAT; US-PGPUB | 2003/07/06 17:52 |
| - | 68 | ((testing with (microprocessor or CPU or computer or microcomputer) with power)) and (voltage with source) and (control with circuit) and (current with source) | USPAT; US-PGPUB | 2003/07/06 17:37 |
| - | 2 | (((testing with (microprocessor or CPU or computer or microcomputer) with power)) and (voltage with source) and (control with circuit) and (current with source)) and transistor and (gate with region) and (drain with region) | USPAT; US-PGPUB | 2003/07/06 17:34 |
| - | 2 | ((testing adj5 (microprocessor or CPU or computer or microcomputer) adj2 power)) and (voltage with source) and (control with circuit) and (current with source) | USPAT; US-PGPUB | 2003/07/06 17:37 |
| - | 16 | (testing adj5 (microprocessor or CPU or computer or microcomputer) adj2 power) | USPAT; US-PGPUB | 2003/07/06 17:45 |
| - | 2 | (testing with (microprocessor or CPU or computer or microcomputer) with power) and (transient with load with generator) | USPAT; US-PGPUB | 2003/07/07 16:24 |
| - | 1 | (testing with (microprocessor or CPU or computer or microcomputer) with power) and (transient with load with generator) and (voltage with source) and (control with circuit) | USPAT; US-PGPUB | 2003/07/08 13:02 |
| - | 27 | (transient with load with generator) and (first with voltage with source) and (second with voltage with source)and (control with circuit) | USPAT; US-PGPUB | 2003/07/07 16:52 |
| - | 3 | ((transient with load with generator) and (first with voltage with source) and (second with voltage with source)and (control with circuit)) and drain and gate and transistor | USPAT; US-PGPUB | 2003/07/07 16:37 |
| - | 1 | (transient with load with generator) and (voltage with source) and (control with circuit) and (drain with transistor with voltage with source) and (gate with region with transistor with control with circuit) and transistor | USPAT; US-PGPUB | 2003/07/07 17:17 |
| - | 1 | (transient with load with generator) and (voltage with source) and (control with circuit) and (drain with transistor) and (gate with region with transistor) and transistor | USPAT; US-PGPUB | 2003/07/07 17:02 |
| - | 1 | (702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (transient with load with generator) and (voltage with source) and (control with circuit) and (drain with transistor) and (gate with region with transistor) and transistor | USPAT; US-PGPUB | 2003/07/07 17:13 |
| - | 929 | (702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (control with circuit) and (drain with transistor) and (gate with region with transistor) and transistor | USPAT; US-PGPUB | 2003/07/07 17:34 |
| - | 334 | ((702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (control with circuit) and (drain with transistor) and (gate with region with transistor) and transistor) and (voltage with drain with region with transistor) and (voltage with gate with region with transistor) and transistor | USPAT; US-PGPUB | 2003/07/07 17:19 |

| | | | | |
|---|-----|--|--------------------|------------------|
| - | 8 | ((702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (control with circuit) and (drain with transistor) and (gate with region with transistor) and transistor) and (voltage with drain with region with transistor) and (voltage with gate with region with transistor) and transistor) and (transient with load) | USPAT; US-PGPUB | 2003/07/07 17:20 |
| - | 1 | ((702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (control with circuit) and (drain with transistor) and (gate with region with transistor) and transistor) and (control with circuit with drain with region with transistor) and (voltage with gate with region with transistor) and transistor) and (transient with load) | USPAT; US-PGPUB | 2003/07/07 17:49 |
| - | 1 | ((702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (control with circuit) and (drain with transistor) and (gate with region with transistor) and transistor) and (control with circuit with drain with region with transistor) and (voltage with gate with region with transistor) and transistor) and (testing with (microprocessor or CPU or computer or microcomputer) with power) | USPAT; US-PGPUB | 2003/07/07 17:22 |
| - | 38 | ((702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (control with circuit) and (drain with transistor) and (gate with region with transistor) and transistor) and (control with circuit with drain with region with transistor) and (voltage with gate with region with transistor) and transistor) | USPAT; US-PGPUB | 2003/07/07 17:21 |
| - | 2 | ((702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (control with circuit) and (drain with transistor) and (gate with region with transistor) and transistor) and (control with circuit with drain with region with transistor) and (voltage with gate with region with transistor) and transistor) and ((microprocessor or CPU or computer or microcomputer) with power) | USPAT; US-PGPUB | 2003/07/07 17:22 |
| - | 303 | (702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (control with circuit) and (current with source) and (control with circuit with trigger with signal) and switch and transistor | USPAT; US-PGPUB | 2003/07/07 17:38 |
| - | 12 | ((702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (control with circuit) and (current with source) and (control with circuit with trigger with signal) and switch and transistor) and (transistor with voltage with source) and ((current adj source) with (voltage adj source)) | USPAT; US-PGPUB | 2003/07/08 10:02 |
| - | 1 | ((702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (control with circuit) and (current with source) and (control with circuit with trigger with signal) and switch and transistor) and (transistor with voltage with source) and ((current adj source) with (voltage adj source))) and (transient with load) | USPAT; US-PGPUB | 2003/07/07 17:49 |
| - | 316 | (702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (current with source) and (transistor with voltage with source) and ((current adj source) with (voltage adj source)) and (transistor with ground with (current adj source)) | USPAT; US-PGPUB | 2003/07/08 10:29 |
| - | 16 | ((702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage with source) and (current with source) and (transistor with voltage with source) and ((current adj source) with (voltage adj source)) and (transistor with ground with (current adj source))) and (test\$3 with power) | USPAT; US-PGPUB | 2003/07/08 11:28 |

| | | | | |
|---|------|---|---|------------------|
| - | 316 | (702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage adj2 source) and (current adj2 source) and (transistor with voltage with source) and ((current adj source) with (voltage adj source)) and (transistor with ground with (current adj source)) | USPAT; US-PGPUB | 2003/07/08 10:32 |
| - | 291 | (702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage adj2 source) and (current adj2 source) and (transistor with (voltage adj2 source)) and ((current adj source) with (voltage adj source)) and (transistor with ground with (current adj source)) | USPAT; US-PGPUB | 2003/07/08 10:33 |
| - | 14 | ((702/\$.ccls. or 324/\$.ccls. or 323/\$.ccls. or 327/\$.ccls. or 307/\$.ccls.) and (voltage adj2 source) and (current adj2 source) and (transistor with (voltage adj2 source)) and ((current adj source) with (voltage adj source)) and (transistor with ground with (current adj source))) and (test\$3 with power) | USPAT; US-PGPUB | 2003/07/08 11:22 |
| - | 1291 | ((current adj2 source) with (couple\$2 or connect\$2) with (voltage adj2 source)) and (transistor with (couple\$2 or connect\$2) with (current adj2 source)) and (transistor with ground) | USPAT; US-PGPUB | 2003/07/08 11:27 |
| - | 56 | ((current adj2 source) with (couple\$2 or connect\$2) with (voltage adj2 source)) and (transistor with (couple\$2 or connect\$2) with (current adj2 source)) and (transistor with ground)) and (test\$3 with power) | USPAT; US-PGPUB | 2003/07/08 11:28 |
| - | 8 | 702/\$.ccls. and (testing with (microprocessor or CPU or computer or microcomputer) with power) and (voltage with source) and (control with circuit) | USPAT; US-PGPUB | 2003/07/08 13:05 |
| - | 3 | 702/\$.ccls. and (testing near5 (microprocessor or CPU or computer or microcomputer or microelectronic) near5 power) and (voltage with source) and (control with circuit) | USPAT; US-PGPUB | 2003/07/08 13:10 |
| - | 17 | 702/\$.ccls. and (testing near3 power) and (voltage with source) and (control with circuit) | USPAT; US-PGPUB | 2003/07/08 13:11 |
| - | 4452 | (voltage near2 source) and (control\$4 with circuit) and transistor and (drain near2 region) and (source near2 region) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/18 17:01 |
| - | 10 | ((voltage near2 source) and (control\$4 with circuit) and transistor and (drain near2 region) and (source near2 region)) and (power near5 delivery) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/18 18:19 |
| - | 4 | (voltage near2 source) and (control\$4 with circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (power near5 delivery) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/18 18:25 |
| - | 3 | (voltage near2 source) and (control\$4 with circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (power near5 delivery) and (current near2 source) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/18 18:27 |
| - | 82 | (first near2 voltage near2 source) and (second near2 voltage near2 source) and (control\$4 with circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (current near2 source) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/18 18:52 |
| - | 2 | 6281724.pn. | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 16:49 |
| - | 2 | ("4812672" "5187396").PN. | USPAT | 2004/03/18 18:50 |

| | | | | |
|---|------|---|---|------------------|
| - | 53 | (first near2 voltage near2 source) and (second near2 voltage near2 source) and (control\$4 near2 circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (current near2 source) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 14:45 |
| - | 31 | (first near2 voltage near2 source) and (second near2 voltage near2 source) and (control\$4 near2 circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (current near2 source) and (output near2 voltage) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 09:42 |
| - | 333 | (voltage adj source) and (control\$4 near2 circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (current near2 source) and (output near2 voltage) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 09:43 |
| - | 249 | (voltage adj source) and (control\$4 adj circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (current near2 source) and (output near2 voltage) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 09:45 |
| - | 3 | ((voltage adj source) and (control\$4 adj circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (current near2 source) and (output near2 voltage)) and (transient with load) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 09:45 |
| - | 446 | (voltage adj source) and (control\$4 adj circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (output near2 voltage) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 09:50 |
| - | 4 | ((voltage adj source) and (control\$4 adj circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (output near2 voltage)) and (transient with load) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 09:59 |
| - | 16 | (voltage adj source) and (control\$4 adj circuit) and transistor and (transient with load with generator) and (output near2 voltage) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 09:57 |
| - | 1 | (voltage adj source) and (control\$4 adj circuit) and transistor and (transient with load with generator) and (gate with region) and (drain with region) and (source with region) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 09:59 |
| - | 1328 | (voltage adj source) and (control\$4 adj circuit) and transistor and (gate with region) and (drain with region) and (source with region) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 10:13 |
| - | 9 | ((voltage adj source) and (control\$4 adj circuit) and transistor and (gate with region) and (drain with region) and (source with region)) and (transient with load) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 10:07 |
| - | 10 | ((voltage adj source) and (control\$4 adj circuit) and transistor and (gate with region) and (drain with region) and (source with region)) and (power with delivery) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 10:08 |
| - | 234 | (voltage adj source) and (control\$4 adj circuit) and transistor and (gate with region) and (drain with region) and (source with region) and (second near5 output near5 voltage) and (first near5 output near5 voltage) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 12:25 |
| - | 32 | (output with voltage with coupled with drain with region with transistor) and (output with voltage with coupled with source with region with transistor) and (control adj circuit) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 12:44 |

| | | | | |
|---|-----|--|---|------------------|
| - | 32 | (output with voltage with coupled with drain with source with region with transistor) and (control adj circuit) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 14:36 |
| - | 12 | (output with voltage with coupled with (drain adj region) with (source adj region) with transistor) and (control adj circuit) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 14:37 |
| - | 10 | (first adj voltage adj source) and (second adj voltage adj source) and (control\$4 near2 circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (current near2 source) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 16:07 |
| - | 27 | (first adj voltage adj source) and (second adj voltage adj source) and (control\$4 near2 circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 15:58 |
| - | 167 | 327/\$.ccls. and (voltage adj source) and (control\$4 near2 circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 16:06 |
| - | 4 | (327/\$.ccls. and (voltage adj source) and (control\$4 near2 circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region)) and (transient with load) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 16:00 |
| - | 1 | (first adj voltage adj source) and (second adj voltage adj source) and (control\$4 near2 circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (transient with load) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 16:21 |
| - | 18 | (voltage adj source) and (control\$4 near2 circuit) and transistor and ((drain or collector) near2 region) and ((source or emitter) near2 region) and ((gate or base) near2 region) and (transient with load) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 16:20 |
| - | 17 | (first adj voltage adj source) and (second adj voltage adj source) and (control\$4 near2 circuit) and transistor and (transient with load) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 16:37 |
| - | 17 | ((first adj voltage adj source) and (second adj voltage adj source) and (control\$4 near2 circuit) and transistor and (transient with load)) and (voltage adj source) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/06/06 14:45 |
| - | 0 | 6281724.pn. and (power with regulation) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 17:14 |
| - | 0 | 6281724.pn. and (transient with load with generator) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 17:15 |
| - | 0 | 6281724.pn. and (transient with load) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 17:15 |
| - | 8 | ((first adj voltage adj source) and (second adj voltage adj source) and (control\$4 near2 circuit) and transistor and (transient with load)) and (voltage adj source) and (drain with source) | USPAT; US-PGPUB; EPO; JPO; DERWENT | 2004/03/19 17:47 |